

L Number	Hits	Search Text	DB	Time stamp
-	2387	translat\$3 and transformat\$3 and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:36
-	5652	("instruction set" or architecture) near5 different	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 16:28
-	628	(translat\$3 and transformat\$3 and heterogeneous) and optimize	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 15:44
-	2	(translat\$3 and transformat\$3 and heterogeneous) and "intermediate representation"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 16:32
-	31	((translat\$3 and transformat\$3 and heterogeneous) and optimize) and ("instruction set" or architecture) near5 different)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 16:35
-	13	translat\$3 near5 "platform specific"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 16:48
-	3	(translat\$3 and transformat\$3 and heterogeneous) and "platform neutral"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 16:53
-	40	heterogeneous near5 (code or software or module) and (translat\$3 and transformat\$3 and heterogeneous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 15:47
-	2981	((heterogeneous or different) near5 ("instruction set" or architecture)) and (translat\$3 or transform\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 08:38
-	709	((heterogeneous or different) near5 ("instruction set" or architecture)) and (translat\$3 or transform\$5)) and optimize	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 08:42
-	2764340	((heterogeneous or different) near5 ("instruction set" or architecture)) and (translat\$3 or transform\$5)) near/3 component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 08:41
-	709	((heterogeneous or different) near5 ("instruction set" or architecture)) and (translat\$3 or transform\$5)) and optimize) and (((heterogeneous or different) near5 ("instruction set" or architecture)) and (translat\$3 or transform\$5)) near/3 component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 08:42
-	71	((heterogeneous or different) near5 ("instruction set" or architecture)) and (translat\$3 or transform\$5)) and optimize) and (((heterogeneous or different) near5 ("instruction set" or architecture)) and (translat\$3 or transform\$5)) near/3 component)) and ("immediate representation" or IR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 10:30

-	16	(heterogeneous adj (program or code or module or software or source)) and (intermediate representation or ir) and optimize	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 10:34
-	2	heterogeneous adj code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 10:42
-	77	heterogeneous adj (program or code or module or software or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 11:49
-	5	heterogeneous adj ("instruction set" or isa)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 14:52
-	2	("5999737").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 16:00
-	2	("5966539").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/27 16:12
-	3	("5539907").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/12 10:30
-	3	("4667290").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/12 11:58
-	6	(heterogeneous near5 (code or software or module) and (translat\$3 and transform\$3 and heterogeneous) and ("hash table"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 15:28
-	3	("6101599").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 15:29
-	0	((("6101599").pn. and ("hash table") )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 15:29
-	21	(translat\$3 and transform\$3 and heterogeneous) and optimize and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 15:45
-	8	(heterogeneous near5 (code or software or module) and (translat\$3 and transform\$3 and heterogeneous) and hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 15:48
-	584	("717/136,137,138,139,140,141,142,143").ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 07:28

-	36	((("717/136,137,138,139,140,141,142,143").ccls and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 07:36
-	407	("717/146,147,148,149,158").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 07:37
-	18	((("717/146,147,148,149,158").ccls.) and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 07:41
-	5	((("5339435") or ("6158045") or ("wo91/20030") or ("ep0510616") or ("ep0501613")).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 07:50
-	0	("1992ep-0501613").ap.prai.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 07:56
-	0	("1992EP-0501613").ap.prai.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 08:15
-	5	((("5539907") or ("5966539")).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 08:16
-	0	(heterogeneous near3 source) and (heterogenous near3 target) and (translat\$3 or transform\$5) and (component or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:39
-	42	heterogeneous and (intermediate adj representation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:39
-	0	(heterogeneous near3 source) and (heterogenous near3 target)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:40
-	161	heterogeneous near3 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:41
-	32	heterogeneous near3 program and (binary or binaries)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:58
-	6	(heterogeneous near3 program and (binary or binaries)) and (heterogeneous and (intermediate adj representation) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 16:42
-	75	heterogeneous near3 program and (binary or binaries or (executable adj code) or executables or (machine adj code) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:00

-	1892	heterogeneous and source and (target or destination) and (binary or binaries or (executable adj code) or executables or (machine adj code) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:02
-	24	heterogeneous and source and (target or destination) and (binary or binaries or (executable adj code) or executables or (machine adj code) ) and (intermediate adj representation) and (component or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:03
-	24	heterogeneous and source and (target or destination) and (binary or binaries or (executable adj code) or executables or (machine adj code) ) and (intermediate adj representation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:33
-	14	corba and (binary or executable or (machine adj code)) near2 component and (intermediate adj representation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:35
-	14	corba and (binary or executable or (machine adj code)) near2 component and (intermediate adj representation) and (translat\$3 or transform\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:36
-	531	corba and (program or software) and transform\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:39
-	8	corba and transform\$5 adj (program or software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 17:50
-	35	(dsom or com) and transform\$5 adj (program or software) not microsoft.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 07:37
-	1	(dsom or com) and transform\$5 adj (program or software) and heterogeneous not microsoft.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 07:38
-	22	("5559884" "5659754" "5664191" "5790858" "5949995" "5966539" "5999737" "6088525" "6186677" "6308320" "6308334").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 07:41
-	165	heterogeneous.ti. and (binary or binaries or (machine adj code) or executables)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:58
-	4	("5339434"   "5379296"   "5539736"   "5657252").PN.	USPAT	2003/04/09 07:56
-	51	5339434.URPN.	USPAT	2003/04/09 07:58
-	0	6282576.URPN.	USPAT;	2003/04/09 08:32
-	4	("6085203" "6021275" ).pn.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 08:59
-	3	("6481008" "6345311").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 13:11

-	11	("5559884"   "5659754"   "5664191"   "5790858"   "5949995"   "5966539"   "5999737"   "6088525"   "6186677"   "6308320"   "6308324").PN.	USPAT	2003/04/15 12:41
-	0	6481008.URPN.	USPAT	2003/04/15 12:50
-	12	("5197138"   "5313635"   "5377350"   "5381534"   "5410696"   "5442791"   "5450567"   "5535393"   "5613148"   "5692183"   "5701484"   "5708828").PN.	USPAT	2003/04/15 12:51
-	0	6345311.URPN.	USPAT	2003/04/15 12:58
-	145	heterogeneous adj component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 13:12
-	40	heterogeneous adj component and (translat\$3 or transform\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 13:12
-	11	("5559884"   "5659754"   "5664191"   "5790858"   "5949995"   "5966539"   "5999737"   "6088525"   "6186677"   "6308320"   "6308324").PN.	USPAT	2003/04/15 13:13
-	6	("5483652"   "5497463"   "5748896"   "5761499"   "5802367"   "5826085").PN.	USPAT	2003/04/15 13:19
-	24900	component and block and ((intermediate adj representation) or ir or (intermediate adj language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:18
-	357	component and block and ((intermediate adj representation) or ir or (intermediate adj language)) and (binary or binaries) near3 (code or procedure or method or function or component or program) and symbol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:23
-	123	component and block and ((intermediate adj representation) or ir or (intermediate adj language)) and (binary or binaries) near3 (code or procedure or method or function or component or program) and symbol and (heterogeneous or mixed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:29
-	284	component and block and ((intermediate adj representation) or ir or (intermediate adj language)) and (binary or binaries) near3 (code or procedure or method or function or component or program) and symbol and (transform\$5 or translat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:02
-	6	("4437184"   "4621319"   "4667290"   "4742467"   "4831580"   "4835709").PN.	USPAT	2003/04/15 15:52
-	12	5187789.URPN.	USPAT	2003/04/15 15:53
-	1843	translat\$5 near3 (binary or binaries)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:03
-	756	translat\$5 adj (binary or binaries)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:04
-	17	translat\$5 adj (binary or binaries) and block and (intermediate adj representation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:04
-	17	translat\$5 adj (binary or binaries) and block and (intermediate adj representation) and component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:20

-	2	4667290.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:20
-	20	(heterogeneous near3 program) and (IR or (intermediate adj representation) or il or (intermediate adj language) or (platform adj neutral) ) and (field or (data adj structure))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 16:36
-	6	(heterogeneous near3 program) and (IR or (intermediate adj representation) or il or (intermediate adj language) or (platform adj neutral) ) and (field or (data adj structure)) and (platform-specific or platform adj specific)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 16:57
-	652	source and destination and opcode and (instruction near3 (length or size)) and (mode or (addressing adj mode)) and (translat\$3 or transform\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 09:41
-	182	source and destination and opcode and (instruction near3 (length or size)) and (mode or (addressing adj mode)) and (translat\$3 or transform\$5 ) and (ir or (intermediate adj representation) or (intermediate adj language) or il)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 17:01
-	182	source and destination and opcode and (instruction near3 (length or size)) and (mode or (addressing adj mode)) and (translat\$3 or transform\$5 ) and (ir or (intermediate adj representation) or (intermediate adj language) or il) and ((data adj structure ) or field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 17:17
-	2	source and destination and opcode and (instruction near3 (length or size)) and (mode or (addressing adj mode)) and (translat\$3 or transform\$5 ) and (ir or (intermediate adj representation) or (intermediate adj language) or il) and ((data adj structure ) or field) and 717/136.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 17:18
-	9	("4679137"   "5126932"   "5666553"   "5918229"   "5966531"   "6021274"   "6128621"   "6154877"   "6192514").PN.	USPAT	2003/09/02 09:37
-	2	6442663.URPN.	USPAT	2003/09/02 09:40
-	0	source and destination and opcode and (instruction near3 (length or size)) and (mode or (addressing adj mode)) and (translat\$3 or transform\$5 ) and 5666553.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 09:41
-	1	custom\$5 near5 compres\$4 near5 ((archiv\$3 adj files) or serializ\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 11:40
-	0	class\$2 near5 required near5 media and (media near3 type) and custom\$5 and compress\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 11:43
-	3	class\$2 near5 required near5 media and (media near3 type) and compress\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 11:43
-	6	class\$2 near5 required near5 media and (media near3 type) and custom\$5	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 11:46